



The Berridge Model BP-21 Portable Roll-Former forms continuous-length, eave-to-ridge straight, structural Deep-Vee panels for the Batten Seam System. Snap-on Batten Caps are then snapped on to Batten Clips which are fastened to each Deep-Vee panel rib, typically at 20" O.C. For UL90 ratings and to allow for thermal expansion on longer panels, use Batten Seam Inner Ribs and Expansion Clips.

COIL & COVERAGE

Coil Size: 20-7/8" (Nominal 21")

Coil Quantity: 131.25 SF per SQ of coverage

SYSTEM ACCESSORIES (Factory Formed)

Snap-On Batten Caps: 75LF per SQ of coverage

Batten Clips: 50 clips/SQ (typically at 20" o.c.)

Batten End Caps: 1 per Batten Cap (Eaves/Valleys)

Inner Rib: For thermal expansion on panels over 30'

Expansion Clip: Use with inner rib for panels over 30'

SALE & LEASING INFORMATION

Sale Price: Not available for purchase

Non-Licensee Lease: Consult BMC

Licensee Lease: Consult BMC

Long Term Lease: Not available for long term lease

SPECIFICATIONS

Mounted on heavy duty 4-wheel table

Width: 34" Length: 139" Height: 58"

Weight: 3170 lbs with shipping cover

1. 1-1/2 HP electric motor - 110V single-phase current
2. Operates at 30' per minute
3. Built-in uncoiler (up to 2000 lb coil)
4. Chrome coated, heat-treated steel rollers
5. Unique side production for ease of operation
6. Mechanical guillotine shear
7. Accurate-length gauge
8. Continuous-length panels, based on coil size
9. All sealed bearings
10. Coil handling apparatus included

