

Berridge Double-Rib Panel

EXPOSED FASTENER PANEL SYSTEM



The Berridge Double-Rib Panel is an exposed fastener panel for use over solid sheathing. The panel covers 24" with a double-rib seam overlap. This wide, economical panel provides a traditional appearance and is ideal for residential or utility applications over solid sheathing.



Materials

24 Gauge Steel

Specifications


Uses: Roof

Coverage: 24"

Finishes: Smooth

Fasteners: Exposed

Applications: Vertical over solid sheathing



Installation

- Panel is available from the factory in continuous lengths to a maximum of 40'
- Estimate 155 fasteners/sq
- Use rubber closures to help prevent air infiltration at ridge, eaves, head walls, etc.
- Use expandable foam filler tape per installation details as closure at hips and valley
- Use mastic tape per installation details at panel endlaps, sidelaps, skylights, with foam closures, etc.

Pictured Above

Project: Morgan Stanley Building
Architect: KP Studio
General Contractor: Edwards Construction
Installing Contractor: Lodi Metals
Color: Satin Finish Galvalume

Pictured Right

Project: Ruby Hardson Building
Architect: KP Studio
General Contractor: Edwards Construction
Installing Contractor: Lodi Metals
Color: Forest Green



All information subject to change without notice. See website for details, specifications and Watertightness Warranty requirements.

© Berridge Manufacturing Company 2018 • 800-669-0009 • www.berridge.com

BERRIDGE DOUBLE-RIB PANEL TESTING AND CERTIFICATION SUMMARY CHART

CATEGORY	CHARACTERISTIC	TEST METHOD	PURPOSE	RESULT
FIRE	■ Room Fire Performance	UL 790	Test methods for fire tests of roof coverings	Class A Rating
ENVIRONMENTAL	■ Impact Resistance	UL 2218	Impact resistance of prepared roof coverings	Class 4 Rating
ROOF LISTINGS	■ Florida Product Approval	TAS 125	Local and state approval of products and systems for compliance with the structural requirements of the Florida Building Code	FL# 11422.3 (Wood Deck)
	■ Underwriters Laboratories	UL 580 Uplift Class 90	Standard for Tests for Uplift Resistance of Roof Assemblies	Construction No. 453 (Plywood)

■ - Steel only □ - Steel and Aluminum
 For further details please visit www.berridge.com



CORPORATE HEADQUARTERS
 2610 Harry Wurzbach Road
 San Antonio, TX 78209
 (800) 669-0009
www.Berridge.com