Berridge Reveal Series Panels

WALL, SOFFIT, CEILING, AND FASCIA PANEL SYSTEM



The Berridge Reveal Series Panels are concealed fastener metal wall panels designed for horizontal and vertical wall applications. Each panel interlocks with each other and with the Berridge BR-12, HC-16, HR-4, HR-16, HS-8 and HS-12 wall panels to provide endless design possibilities. This panel is available in two substrate options and is ideal for a variety of uses.



Detail of RS-725 Panel Interlock

Materials


24 and 22 Gauge Steel 0.032 and 0.040 Aluminum

Specifications

Uses: Wall, Soffit, Ceiling, Fascia, Screen Wall, Berridge Fencing System Coverage: RS-725: 7¼"; RS-9: 87%"; RS-11-5: 107%"; RS-11: 107%"; RS-145: 14½" Finishes: Smooth Fasteners: Concealed Applications: Vertical on fencing; horizontal or vertical over open framing or solid sheathing

Installation

- Panel is available from the factory in continuous lengths to a maximum of 40'
- Interlocks with BR-12, HC-16, HR-4, HR-16, HS-8 and HS-12 panels
- Use siding starter strip to start panel at bottom of soffit or sill
- Use channel closure at inside and outside corners
- Use standard channel at jambs
- Use special channel at jambs



All information subject to change without notice. See website for details, specifications, and Watertightness Warranty requirements. © Berridge Manufacturing Company 2022 • (800) 669-0009 • www.Berridge.com

BERRIDGE REVEAL SERIES PANEL TESTING AND CERTIFICATION SUMMARY CHART

CATEGORY	CHARACTERISTIC	TEST METHOD	PURPOSE	RESULT
PERFORMANCE	Uplift Resistance	ASTM E-1592	Test method to determine uplift resistance of open framing systems	See Load Chart on Berridge website
AIR AND MOISTURE	Water Penetration	ASTM E-331**	Test method for water penetration of metal roofs by uniform static air pressure difference	No Leakage at 15.0 PSF Pressure Differential
	Air Leakage	ASTM E-283**	Test method for rate of air leakage through exterior metal roofs	Less than 0.01 CFM at 6.24 PSF Pressure Differential

■ - Steel only □ - Steel and Aluminum For further details please visit www.Berridge.com

** See HR-16 Panel for test results on ASTM E-331 and ASTM E-283 with similar panel seams



CORPORATE HEADQUARTERS 2610 Harry Wurzbach Road San Antonio, TX 78209 (800) 669-0009 www.Berridge.com